

Flow-Through Diesel Particulate Filters



MINE-X pDPF[®]
Diesel Particulate Filters

ON-HIGHWAY CONSTRUCTION EARTHMOVING MATERIAL HANDLING

MINE-X pDPF[®] Diesel Particulate Filters


REMOVES PARTICULATE MATTER WITH NO MAINTENANCE

The MINE-X pDPF[®] is a newly patent pending, flow-through diesel particulate filter that provides effective removal of diesel particulate matter and lower backpressure than conventional wall-flow particulate filters. The MINE-X pDPF[®] can be used in most above-ground diesel engine applications. It is ideal for retrofit on most diesel engines where wall-flow particulate filters are unsuitable, including light duty cycle, older and two-stroke engines. DCL flow-through diesel particulate filters are used to meet EPA or CARB standards for particulate reduction or simply to improve air quality around diesel engines.

The MINE-X pDPF[®] requires diesel fuel with sulfur content less than 500 ppm for proper operation and works best with sulfur content less than 15 ppm (ULSD fuel).

MINE-X pDPF[®] Advantages

- ★ Reduces up to 60 percent Diesel Particulate Matter (DPM).
- ★ Looks, installs and operates like a conventional diesel oxidation catalyst.
- ★ Does not clog or accumulate soot particles.
- ★ Requires no maintenance.
- ★ Achieves a backpressure of less than 20 inches wc (5 kPa), meeting many off-highway engine manufacturer's exhaust system limits.
- ★ Attains a high conversion efficiency for carbon monoxide, hydrocarbons, odor and particulate matter.
- ★ Effectively removes diesel nano-particles (Highest human health risks).
- ★ Improves sound attenuation (Equivalent or superior to the original muffler).




MINE-X pDPF[®] Substrate

How


IT WORKS

The MINE-X pDPF[®] diesel particulate filter is a patent pending network of flow-through channels consisting of corrugated metal foils and metal fiber fleece. The channels use a continuous but variable cross section to transfer exhaust gas through the stainless steel filter medium. Nano particles are collected within the filter on the surface of the fibres, which are effectively oxidized by means of a catalytic coating. The coating provides high overall particulate reduction across a wide range of exhaust flows and temperatures, with backpressure characteristics similar to a conventional diesel oxidation catalyst. The design also effectively destroys carbon monoxide (CO), diesel hydrocarbons (HC) and diesel odor.

A cell of the main metal filter



Typical Conversion Efficiencies under US Heavy Duty Transient Cycle and ULSD Fuel



Direct Fit Muffler Configuration

The MINE-X pDPF[®] diesel particulate filter can be configured to exactly the same dimensions as the original muffler for the vehicle. The part is an exact replacement of the original muffler so installation is easy and requires no change to the exhaust system. DCL has a design library of over 2000 catalytic mufflers, ensuring the catalytic muffler for your engine is readily available.



Standard Configuration

The MINE-X pDPF[®] diesel particulate filter can be configured as a universal catalyst or a universal muffler for retrofit onto the vehicle. Illustrated below are examples of a universal configuration.



DCL International Inc. - Preserving and Improving the Environment We Live In

DCL International Inc. is a global leader in the engineering, manufacturing and supporting of advanced emissions control technology for stationary and mobile industrial engines. Our products - which include oxidation and three-way catalysts, silencers, particulate filters, SCR systems and accessories - are used worldwide in the material handling, construction, mining, gas compression and power generation markets.

DCL's dedicated industrial focus is unique in the emissions control industry. To meet the specialized needs of the industrial market, we adopt an integrated approach, bringing together product development, design, manufacturing and testing all under one roof. This single-source capability enables us to provide better engineered emissions solutions that deliver outstanding performance, longer life and lower cost of ownership. Our superior product quality has made DCL the choice of customers around the world.



Head Office

DCL International Inc.
241 Bradwick Dr.
Concord, ON L4K 1K5
Canada

Tel: 1-905-660-6450
Toll Free: 1-800-872-1968
Fax: 1-905-660-6435
info@dcl-inc.com
www.dcl-inc.com

Regional Office - USA

DCL America Inc.
1610 Woodstead Ct, Suite 245
The Woodlands, TX 77380
U.S.A

Toll Free: 1-877-897-9759
info@dclamerica.com
www.dcl-inc.com

Regional Office - Europe

DCL Europe GmbH
Im Haindell 1
65843 Sulzbach am Taunus
Germany

Tel: 49-5149-207-488
info@dcl-europe.com
www.dcl-europe.com

